

## **N.J. Admin. Code § 13:40-15.16**

### Section 13:40-15.16 - Standards of practice

- (a) All licensees shall comply with the standards of practice contained in this section when conducting home inspections. The scope of home inspection services performed in compliance with the standards set forth in this section shall provide the client with objective information regarding the condition of the systems and components of the home as determined at the time of the home inspection.
- (b) Nothing in this section shall be construed to require a licensee to:
1. Enter any area or perform any procedure that is, in the opinion of the licensee, unsafe and likely to be dangerous to the inspector or other persons;
  2. Enter any area or perform any procedure that will, in the opinion of the licensee, likely damage the property or its systems or components;
  3. Enter any area which does not have at least 24 inches of unobstructed vertical clearance and at least 30 inches of unobstructed horizontal clearance;
  4. Identify concealed conditions and latent defects;
  5. Determine life expectancy of any system or component;
  6. Determine the cause of any condition or deficiency;
  7. Determine future conditions that may occur including the failure of systems and components including consequential damage;
  8. Determine the operating costs of systems or components;
  9. Determine the suitability of the property for any specialized use;
  10. Determine compliance with codes, regulations and/or ordinances;
  11. Determine market value of the property or its marketability;
  12. Determine advisability of purchase of the property;
  13. Determine the presence of any potentially hazardous plants, animals or diseases or the presence of any suspected hazardous substances or adverse conditions such as mold, fungus, toxins, carcinogens, noise, and contaminants in soil, water, and air;
  14. Identify the presence of, or determine the effectiveness of, any system installed or method utilized to control or remove suspected hazardous substances;
  15. Operate any system or component which is shut down or otherwise inoperable;

16. Operate any system or component which does not respond to normal operating controls;
17. Operate shut-off valves;
18. Determine whether water supply and waste disposal systems are public or private;
19. Insert any tool, probe or testing device inside electrical panels;
20. Dismantle any electrical device or control other than to remove the covers of main and sub panels;
21. Inspect, identify, or disclose ancillary electrical devices and/or systems, such as, but not limited to, Arc Fault Circuit Interrupters (AFCIs), standby generators, and photovoltaic (solar) panels;
22. Walk on unfloored sections of attics; and
23. Light pilot flames or ignite or extinguish fires.

(c) Licensees shall:

1. Inspect the following systems and components in residential buildings and other related residential housing components:
  - i. Structural components as required by (e) below;
  - ii. Exterior components as required by (f) below;
  - iii. Roofing system components as required by (g) below;
  - iv. Plumbing system components as required by (h) below;
  - v. Electrical system components as required by (i) below;
  - vi. Heating system components as required by (j) below;
  - vii. Cooling system components as required by (k) below;
  - viii. Interior components as required by (l) below;
  - ix. Insulation components and ventilation system as required by (m) below; and
  - x. Fireplaces and solid fuel burning appliances as required by (n) below;
2. Prepare a home inspection report, which shall:
  - i. Disclose those systems and components as set forth in (c)1 above which were present at the time of inspection;
  - ii. Disclose systems and components as set forth in (c)1 above that were present at the time of the home inspection, but were not inspected, and the reason(s) they were not inspected:

**(1)** If a system and/or component was present at the time of inspection, but not inspected at the request of the client or because the system or component could not be observed, the report must note this.

**iii.** Describe the systems and components specified in (c)1 above;

**iv.** State material defects found in systems or components specified in (c)1 above;

**v.** State the significance of findings where any material defects in the systems and components of (c)1 above were found; and

**vi.** Provide recommendations where material defects were found to repair, replace, or monitor a system or component specified in (c)1 above or to obtain examination and analysis by a qualified professional, tradesman, or service technician without determining the methods, materials, or cost of corrections; and

**3.** Retain copies of all home inspection reports prepared pursuant to (c)2 above, for a period of five years upon completion of the report;

**(d)** Subsection (c) above is not intended to limit licensees from:

**1.** Inspecting or reporting observations and conditions observed in systems and components in addition to those required in (c)1 above and inspecting systems and components other than those mandated for inspection in (c)1 above, as long as the inspection and reporting is based on the licensee's professional opinion, prior work experience, education, and training, unless these standards of practice prohibit the licensee from inspecting such systems or components.

**2.** Contracting with the client to provide, for an additional fee, additional inspection services provided the licensee is educated, trained, certified, registered, or licensed, pursuant to the provisions of N.J.A.C. 13:40-15.21 and other applicable statutes and rules; and

**3.** Excluding systems and components from the inspection pursuant to N.J.A.C. 13:40-15.15(b) and (c)2ii above.

**(e)** When conducting the inspection of the structural components, the licensee shall:

**1.** Inspect:

**i.** Foundation;

**ii.** Floors;

**iii.** Walls;

**iv.** Ceilings; and

**v.** Roof;

**2.** Describe:

**i.** Foundation construction type and material;



- 2. Describe:**
    - i.** Roof surface;
    - ii.** Deficiencies of the roof drainage systems;
    - iii.** Deficiencies in the flashing;
    - iv.** Skylights; and
    - v.** Chimneys;
  - 3. Employ reasonable, practicable, and safe methods to inspect the roof, such as:**
    - i.** Walking on the roof;
    - ii.** Observation from a ladder at roof level;
    - iii.** Visual examination with binoculars from ground level; or
    - iv.** Through the use of a drone or similar unmanned aircraft systems (consistent with applicable State or Federal laws, rules, and regulations on licensure or certification requirements for the commercial use of drones or similar unmanned aircraft systems); and
  - 4. Describe the methods used to inspect the roof.**
- (h) When inspecting the plumbing system, a licensee shall:**
- 1. Inspect:**
    - i.** Interior water supply and distribution systems including functional water flow and functional drainage, excluding wells, well pumps, well water sampling or water storage related equipment, determination of water supply quantity or quality and water conditioning systems and lawn irrigation systems;
    - ii.** All interior fixtures and faucets, excluding shut off valves, wells, well pumps, well water sampling and water storage related equipment;
    - iii.** Drain, waste and vent systems;
    - iv.** Domestic water heating systems, without operating safety valves or automatic safety controls, and excluding solar water heating systems;
    - v.** Combustion vent systems excluding interiors of flues and chimneys;
    - vi.** Fuel distribution systems; and
    - vii.** Drainage sumps, sump pumps and related piping; and
  - 2. Describe:**
    - i.** Predominant interior water supply and distribution piping materials, including the presence of lead water service and/or supply piping;





